

Appendix 6: HUB - application

To be applied when goods are forwarded, collected and distributed through HUB.services.

6.1 IFTMIN freight instruction, information about consignment note and list of contents etc.

"Fraktbrev" Way bill	"Pakkseddel" Consignment note	Description	Stat-us	Header	Frakt- brev	Pakk- seddel	S G	Message
Header			M	X				UNH+ATG8077+IFTMIN:D:04A:UN:NCP10'
Consignment identifier			M	X	X		0	BGM+730+70508608062360041+9'
Message date			M	X	X	X	0	DTM+137:20070117:102'
	Order date	Comm. order	C			X	0	DTM+4:20070115:102'
	Delivery date		C			X	0	DTM+69:20070717:102'
	Delivery latest		C			X	0	DTM+63:1600:401'
	Delivery earliest		C			X	0	DTM+64:0800:401'
Service			R		X		0	TSR+9+5+3+12'
	Freight conditions		C			X	0	MOA+64+0.00:NOK'
Tariff		Tariff	R		X		0	FTX+TRR+++STD'
Mess. to carrier.	Info on delivery text		C		X		0	FTX+DEL+++<message to carrier>'
Message to receiver	Text		C		X		0	FTX+ICN+++<message to consignee>'
Total Weight			?		X		0	CNT+7:102:KGM'
Total number	No. of pieces		R		X		0	CNT+11:7:PCE'
Payee			R		X		2	TOD+5+PP'
Consignment number			R		X	X	3	RF+CMR:70508608062360041'
Senders reference.	Delivery number		R		X	X	3	RF+CU:0806236004'
	Senders reference 2		C			X	3	RF+ACD:Customer service, Tel. 81003500'
	Order no.	Comm. order	C			X	3	RF+AAJ:5169425/00'
	Type of order		C			X	3	RF+ABD:OR'
Transporting company			R	X	X	X	8	TDT+20+++31+NCS::87'
	Specifies that copy of message shall be given to HUB		D	X			8	TSR+HUB'
Shipping Terminal			D		X		9	LOC+202+1000::87'
Sender	Sender		M		X		1	NAD+CZ+50002497:CNO:87'
Party Contact	Sales person	Ware sales person	C			X	1	CTA+IC+:Sandor Kari'
Consignee	Consignee		R		X	X	1	NAD+CN+<CNO buyer>:CNO:91+ROGNAN BARNESKOLE+SKOLEVEIEN 26+ROGNAN++8250'
	Buyers contact	Buyer	D			X	1	CTA+IC+:Lisbet Andersen'
	Phone 1	Buyer	C			X	1	COM+35012900:TE'
	Mobile phone	Buyer	C			X	1	COM+99999999:AL'
Goods item			M		X		1	GID+1+7:PK'
Content			R		X		1	FTX+AAA+4+++See attached list of content'
	Article lines		C			X	1	FTX+LIN+++<line 2>:<line 1>:<line 3>:<line 4>'
Weight					X		2	MEA+WT+G+KGM:102'
SSCC			R		X		2	PCI+30+370508600100842367'
					X		2	PCI+30+370508600100842374'
					X		2	PCI+30+370508600100842381'

					3	
			X		2	PCI+30+370508600100842398'
					3	
			X		2	PCI+30+370508600100845825'
					3	
			X		2	PCI+30+370508600100845832'
					3	
			X		2	PCI+30+370508600100845849'
					3	
Footer	M	X				UNT+<number of segments>+ATG8077'

6.2 Supplementary information about HUB

Level	Data	Position	Description	Segment	Element	Code	Data	Status	Comments
H	HUB application			SG08/TSR+HUB'	4065	HUB		R	Indicates that the message shall be copied to the HUB.
H	Time of collection			SG00DTM+200::203'	2005	200	2380	C	Pick-up/collection date/time of cargo
H	Time of collection -earliest			SG00DTM+234::203'	2005	234	2380	C	Collection date/time, earliest
	Time of collection -latest			SG00DTM+235::203'	2005	235	2380	C	Collection date/time, latest
H	Date of delivery			SG00/DTM+69::102'	2005	69	2380	R	Date of delivery and hours from-to
H	Time of delivery			SG00/DTM+63:1600:401' SG00/DTM+64:0800:401'	2005	63 64	2380	C	Delivery date/time, latest (identifying a point of time after which goods shall not or will not be delivered). Delivery date/time, earliest (identifying a point in time before which the goods shall not be delivered).
H	Date of ordering			SG00/DTM+4::102'	2005	4	2380	C	Date of ordering wares
H	MVA goods value			SG00/MOA+ZV1:.'	5025	ZV1	5004	C	Total VAT for all wares in the consignment
H	Goods value	#0,00		SG00/MOA+116	5025	116	5004	C	Total goods value of the consignment
H	Freight	#0,00		SG00/MOA+64	5025	64	5004	C	Total freight charge
H	Extra delivery service	#0,00	Amount	SG00/MOA+205	5025	205	5004	C	
H	Discount	#0,00		SG00/MOA+51	5025	51	5004	C	Buyers discount given by seller of the goods
H	Delivery service (text)	A	Description	SG00/FTX+DIN	4451	DIN	4440	C	
H	Total number of " kolli"			SG00/CNT+11	6069	11	6066	R	
H	Total number of articles			SG00/CNT+ZVN	6069	ZVN	6066	C	
H	Total volume			SG00/CNT+15	6069	15	6066	C	
H	Buyers customer no.	#15		NAD+CN+::91	3055	91	3039	C	Buyers customer no (issued by seller)
H	Cellphone number to contact person		Not mandatory	SG12/CTA+IC' SG12/COM+:AL'	3139 3155	IC AL	3413 3148	C	CTA+IC' COM+99x22020:AL'
H	Telephone number to contact person, work			SG12/CTA+IC+WORK' SG12/COM+:TE'	3139 3155	IC TE	3413 3148	C	CTA+IC+WORK: Ole Olsen' CTA+IC+PRIVATE: Ole Olsen'
H	Contact person at destination			SG11/NAD+CN SG12/CTA+IC	3139	IC	3412	C	
H	Senders delivery number	A15		SG03/RFF+AAJ	1153	AAJ	1154	C	Order number in SAP
H	Seller	A25		SG11/NAD+CZ SG12/CTA+IC	3139	IC	3412	C	
H	Senders order type	A10		SG00/FTX+ABD	4451	ABD	4440	C	
H	Senders reference 2	A30		SG03/RFF+ACD	1153	ACD	1154	C	

6.3. Article line and ware line positions

Nava	Data	positions	Descriptions	Segment	Element	Code	Data	Status	Comments
R	Article line: 2 Main line	(A109)	See below	SG18/FTX+LIN	4451	LIN	4440	C	1 article line pr. data element in 4440.
		A5	Position number						
		A15	Article number						5 article lines pr. repetition of SG00/FTX
		A50	Article name						(Info: Max 480 article types)
		#5	How many delivered						
		#11	Article price						
		A3	Currency						
		#5	How many ordered						Number of articles ordered
		#5	The rest; not delivered						Number of articles not delivered
		A10	Unity						
	Article -nr: Article name: Article -number: Article price: Article currency: Article delivered: Article-Rest not delivered: Unity								Text in column
	Article line: 1	A100							Copy all to print
	Article line :3	A100							Copy all to print
	Article line: 4	A100							Copy all to print

Content line positions

Position		Number		
From	To	Positions	Type	Description
1	5	5	N	Position number
6	20	15	A	Article number
21	70	50	A	Article description
71	75	5	N	Number delivered
76	86	11	D2	Article price
87	89	3	A	Currency
90	94	5	N	Number ordered
95	99	5	N	Rest
100	109	10	A	Unity
110	209	100	A	Ware line 1
210	309	100	A	Ware line 3
310	409	100	A	Ware line 4
410	512	103	N/A	Not in use

Every FTX+LIN can contain max 5 ware lines separated with colon with max 4 article lines



Product Code (Label)	Product-code Iftmin D04A (old)	Product-Name (Label)	Product Code: (EDI) One per consignment	Service-Code (Label)	IFTMIN Code (old)	Service-Name (Label)	Service Code (EDI)
2758	ZC9 eller ZC9-02	Home Delivery Double indoor Internal code Bring	FTX+PRD+++2758'	2000	ZPG	COD	FTX+SSR+++2000'
				1063	Z03	ID/Contract	FTX+SSR+++1063'
				1064	Z04	Message SMS	FTX+SSR+++1064
				1074	Z05	Message E-Mail	FTX+SSR+++1074'
				1091	Z20	E-mail to recipient about delivery	FTX+SSR+++1076'
				1092	Z21	E-mail to recipient about all activities	FTX+SSR+++1077'
				1093	Z22	E-mail to recipient about distribution	FTX+SSR+++1091'
				1094	Z23	E-mail to sender about delivery	FTX+SSR+++1092' 1)
				1095	Z24	E-mail to 3rd party about delivery	FTX+SSR+++1093' 1)
				1122	Z45	Swap (goods in return)	FTX+SSR+++1094'
				1123	Z46	Recycling Standardized	FTX+SSR+++1095'
				1124	Z47	Installation Standardized	FTX+SSR+++1122'
				1125	Z48	Installation Customized	FTX+SSR+++1123'
				1127	Z49	Installation TV	FTX+SSR+++1124'
				1128	Z50	Installation Electronics	FTX+SSR+++1125'
				1138	Z30	Return of goods Oversize	FTX+SSR+++1127'
				1139	Z31	Return of packaging – unwrapping	FTX+SSR+++1128'
1140	Z32	Carry service oversize	FTX+SSR+++1138'				
1141	Z33	Installation mechanical	FTX+SSR+++1139'				
							FTX+SSR+++1140'
							FTX+SSR+++1141'
3150	ZC9-01	Home Delivery Single indoor Internal code Bring	FTX+PRD+++3150'	2000	ZPG	COD	FTX+SSR+++2000'
				1063	Z03	ID/Contract	FTX+SSR+++1063'
				1064	Z04	Message SMS	FTX+SSR+++1064'
				1074	Z05	Message E-Mail	FTX+SSR+++1074'
				1091	Z20	E-mail to recipient about delivery	FTX+SSR+++1091'
				1092	Z21	E-mail to recipient about all activities	FTX+SSR+++1092' 1)
				1093	Z22	E-mail to recipient about distribution	FTX+SSR+++1093' 1)

				1094	Z23	E-mail to sender about delivery	FTX+SSR+++1094'
				1095	Z24	E-mail to 3rd party about delivery	FTX+SSR+++1095'
				1122	Z45	Swap (goods in return)	FTX+SSR+++1122'
				1123	Z46	Recycling Standardized	FTX+SSR+++1123'
				1124	Z47	Installation Standardized	FTX+SSR+++1124'
				1125	Z48	Installation Customized	FTX+SSR+++1125'
				1127	Z49	Installation TV	FTX+SSR+++1127'
				1128	Z50	Installation Electronics	FTX+SSR+++1128'
				1138	230	Return of goods Oversize	FTX+SSR+++1138'
				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3123	ZC9-00	Home Delivery Curbside Internal code Bring	FTX+PRD+++3123'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127' FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
2778	ZD1	Return Home Delivery Special agreement	FTX+PRD+++2778'				
2870	ZC9 eller ZC9-02	Home Delivery i Sverige (Hemleveranse)	FTX+PRD+++2870'	2000 1063 1064 1074 1091 1092 1093 1094 1095	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095'

				1122	Z45	Swap (goods in return)	FTX+SSR+++1122'
				1123	Z46	Recycling Standardized	FTX+SSR+++1123'
				1124	Z47	Installation Standardized	FTX+SSR+++1124'
				1125	Z48	Installation Customized	FTX+SSR+++1125'
				1127	Z49	Installation TV	FTX+SSR+++1127'
				1128	Z50	Installation Electronics	FTX+SSR+++1128'
				1138	230	Return of goods Oversize	FTX+SSR+++1138'
				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

2871	ZC9 eller ZC9-02	Home Delivery	FTX+PRD+++2871'	2000	ZPG	COD	FTX+SSR+++2000'
		Danmark		1063	Z03	ID/Contract	FTX+SSR+++1063'
				1064	Z04	Message SMS	FTX+SSR+++1064'
				1074	Z05	Message E-Mail	FTX+SSR+++1074'
				1091	Z20	E-mail to recipient about delivery	FTX+SSR+++1091'
				1092	Z21	E-mail to recipient about all activities	FTX+SSR+++1092' 1)
				1093	Z22	E-mail to recipient about distribution	FTX+SSR+++1093' 1)
				1094	Z23	E-mail to sender about delivery	FTX+SSR+++1094'
				1095	Z24	E-mail to 3rd party about delivery	FTX+SSR+++1095'
				1122	Z45	Swap (goods in return)	FTX+SSR+++1122'
				1123	Z46	Recycling Standardized	FTX+SSR+++1123'
				1124	Z47	Installation Standardized	FTX+SSR+++1124'
				1125	Z48	Installation Customized	FTX+SSR+++1125'
				1127	Z49	Installation TV	FTX+SSR+++1127
				1128	Z50	Installation Electronics	FTX+SSR+++1128'
				1138	230	Return of goods Oversize	FTX+SSR+++1138'
				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
1140	232	Carry service oversize	FTX+SSR+++1140'				
1141	233	Installation mechanical	FTX+SSR+++1141'				

2872	ZC9 eller ZC9-02	Home Delivery Finland	FTX+PRD+++2872'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3237	ZC9-50	Home Delivery Curbside Express	FTX+PRD+++3237'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3238	ZC9-60	Home Delivery Curbside Weekend	FTX+PRD+++3238'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3239	ZC9-70	Home Delivery Curbside Weekend/Express	FTX+PRD+++3239'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3240	ZC9-51	Home Delivery Single Indoor Express	FTX+PRD+++3240'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3241	ZC9-61	Home Delivery Single Indoor Weekend	FTX+PRD+++3241'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3242	ZC9-71	Home Delivery Single Indoor Weekend/Express	FTX+PRD+++3242'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3244	ZC9-52	Home Delivery Double Indoor Express	FTX+PRD+++3244'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128'

				1138	230	Return of goods Oversize	FTX+SSR+++1138'
				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3245	ZC9-62	Home Delivery Double Indoor Weekend	FTX+PRD+++3245'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3246	ZC9-72	Home Delivery Double Indoor Weekend/Express	FTX+PRD+++3246'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3332	ZC9-03	Home Delivery Indoor Light	FTX+PRD+++3332'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3333	ZC9-53	Home Delivery Indoor Light Express	FTX+PRD+++3333'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

3334	ZC9-63	Home Delivery Indoor Light Weekend	FTX+PRD+++3334'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138 1139 1140 1141	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230 231 232 233	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize Return of packaging – unwrapping Carry service oversize Installation mechanical	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138' FTX+SSR+++1139' FTX+SSR+++1140' FTX+SSR+++1141'
3335	ZC9-73	Home Delivery Indoor Light Weekend/Express	FTX+PRD+++3335'	2000 1063 1064 1074 1091 1092 1093 1094 1095 1122 1123 1124 1125 1127 1128 1138	ZPG Z03 Z04 Z05 Z20 Z21 Z22 Z23 Z24 Z45 Z46 Z47 Z48 Z49 Z50 230	COD ID/Contract Message SMS Message E-Mail E-mail to recipient about delivery E-mail to recipient about all activities E-mail to recipient about distribution E-mail to sender about delivery E-mail to 3rd party about delivery Swap (goods in return) Recycling Standardized Installation Standardized Installation Customized Installation TV Installation Electronics Return of goods Oversize	FTX+SSR+++2000' FTX+SSR+++1063' FTX+SSR+++1064' FTX+SSR+++1074' FTX+SSR+++1091' FTX+SSR+++1092' 1) FTX+SSR+++1093' 1) FTX+SSR+++1094' FTX+SSR+++1095' FTX+SSR+++1122' FTX+SSR+++1123' FTX+SSR+++1124' FTX+SSR+++1125' FTX+SSR+++1127 FTX+SSR+++1128' FTX+SSR+++1138'

				1139	231	Return of packaging – unwrapping	FTX+SSR+++1139'
				1140	232	Carry service oversize	FTX+SSR+++1140'
				1141	233	Installation mechanical	FTX+SSR+++1141'

*** Produkt/Service only available according to special agreement. ** Product/Service not yet implemented**