

# **Description of transport label for Bring Parcels AB**

(for use in connection with EDI solutions)

Version 20171001

Final

## Change history for label description

Date	Document	Changes
26/2-2010	Label description 20100301	First version of Bring Parcels label description. New label layout Product code 344/345 added Service code 39 and 79 added
1/11-2010	Label description 20101101	Service code 97 added Product code 310-315 (My Quick Boxes) removed Detailed weight rules added Sender address cross-over added Weight symbol to be used when possible product 342 to SE GS1 SSCC and sorting barcode required for prod. 342 to SE
1/6-2011	Label description 20110601	Rules regarding package-id expected to be changed in the autumn of 2011. Product 349 added (previously 342 plus service code 53) Service code 53 removed Customer unique products added (391 and 392) Customer unique services added (19 and 29)
1/11-2011	Label description 20111101	Service code 03 added
1/6-2013	Label description 20130601	UPU label only used from Norway (as per appendix B) SSCC codes mandatory for more products/countries Sorting barcode to Denmark added Service code 10 – name of service changed Weight limit for product 340/342 to DK changed to 31,5 kg
1/10-2013	Label description 20131001	Service code 15, 16 and 17 added
14/10-2013	Label description 20131001	Service code 33, 34 and 94 added
1/6-14	Label description 20140601	Service code 11 added
12/8-14	Label description 20140812	Recipient address recommended for service 10 to SE
1/8-2015	Label description 20150801	Appendix F text added. New product 0348 added Service code 0018, 1094, 1095, 1142 added Product codes should be 4 digits, add a zero in the beginning of the product code up to 4 digits Service codes should be 4 digits, add zeros in the beginning of the service code up to 4 digits 0341 from Denmark change to SSCC package-ID and sorting barcode
4/1-2016		Changed all product names for product 0330-0359
1/3-2016		Changed label example with service 0041 to 0039
1/3-2017	Label description 20170301	Package-ID within Nordic countries GS1 SSCC recommended except 0340 from NO 0342+0041 35 kg to SE & DK Sorting barcode to Denmark product 0341/0342/0343 removed to appendix: Service Code 0014 to DK Service 0069 removed Service 0051 not valid to DK from 20170101
1/8-2017	Label description 20170801	All package-ID prefix CT has been changed to CY

Changes in the latest version are written with red text.

### Appendixes

Following appendixes are available upon request:

- A: Detailed information about available countries per product/service
- B: Label type per country for product 0330, 0336 and 0340 from Norway
- C: Description of laser printed UPU label (used for product 0330/0340 to certain countries from Norway)
- E: Description of requirements for Return products
- F: Description of requirements for SmartPOST label
- G: Description Distribution via PostNord Denmark

## Introduction



To ensure the most efficient handling of parcels and pallets, Bring Parcels require customers to use IT solutions to produce barcoded transport labels and EDI. EDI must be transmitted at the time of shipment so that information is available, when the parcels (barcodes) are scanned at the first terminal.

2 types of standard IT labels are used:


- 1) **Bring label** – printed on self-adhesive label material with a thermal or a laser printer. Used for all Bring Parcels products except:
  - Product 0330/0340 from Norway to certain countries (according to appendix B)
  - Product 0341/0343 from Sweden and Finland (special label required according to appendix E)
 This layout may be used with all Bring specialists.

Bring Parcels supports the international standard for design of transport labels "Multi Industry Transport Label" (MITL) decided within CEN "Comité Européen de Normalisation". This standard is widely used in the Nordic countries.

The recommended label size is 105 mm x approx. 200 mm depending on the information contents. A shorter label may be used if no additional services are required.

<del>From:</del> Internas Technologies AB Teknisk Support Vendgägen 85A SE-182 04 DANDERYD		
<b>To:</b> Hans Berg Alfasetvei 9 <b>NO-0668 Oslo</b> Norge		<b>Date:</b> 18.02.2010  <b>Phone:</b> +45 70286000
<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235	<b>Customer no:</b> 00123456	
<b>COD Amount:</b> <b>NOK 500,00</b>		
<b>Account:</b> <b>3274123</b>		
<b>COD reference:</b> <b>212515251456447</b>		
<b>Services:</b> <b>0051 – COD</b>		
 <b>Product:</b> <b>PickUp Parcel Bulk</b> <b>Product-ID:</b> <b>0342</b>		<b>3</b>
<b>Senders reference:</b> P.O. 3994883		
<b>Delivery instructions line 1</b> <b>Delivery instructions line 2</b>		
<b>Barcode</b> S10 - Code 39 or SSCC – GS1 128		
<b>Package-ID:</b> CY50 000 967 0NO		

- 2) UPU label (dispatch note) - printed on 4 sheets of A4 paper on a laser printer according to Postal rules. 3 sheets are folded and placed in a transparent plastic envelope on the package. Only used for product 0330/0340 from Norway to certain countries according to appendix B. This label is only available from transport administrative systems approved by Bring Parcels.

SENDER'S RECEIPT											
<b>FROM</b> Name and address of sender Bring Parcels AB Gustavslundsvägen 151E					Senders reference <b>CarryOn HomeShopping</b>		<div style="border: 2px solid black; padding: 5px; display: inline-block; font-weight: bold; font-size: 1.2em;">340</div>				
SE-16751 Bromma Country: Sweden Telephone: +46 8 586 186 00					Customer no.: 0010 8919						
<b>TO</b> Name, delivery address and country BYSTRONIC LASER AG Industriestrasse 21					CH-3362 NIEDERÖNZ Country: Switzerland Telephone:		 Package-ID: CS90 168 484 0NO				
Please credit to account number COD Ref					COD amount in words In figures						
Insured value-words Value DKK Value SDR					Documents <input type="checkbox"/> Documents <input type="checkbox"/> For repair/return <input type="checkbox"/> Temporary expo <input type="checkbox"/> Other					Explanation Number of Parcels Invoices 3	
Detailed description of contents See attached invoice					Quantity Net weight Value Total					Commercial items only Tariff No. Country of origin	
SENDER'S INSTRUCTIONS IN CASE OF NON DELIVERY <input checked="" type="checkbox"/> Return immediately to sender <input type="checkbox"/> Treat as abandoned					Total gross weight 0,0		Charges Taxe percue		I certify that the particulars given in the customs declaration are correct and that this item does not contain hazardous/prohibited goods. Date and sender's signature 25-02-2010 Bring Parcels AB		

www.bring.com/parcels

## Bring Label

### Layout

To ensure correct handling in our production the design must be in accordance with the rules in this specification.

### Approval

The layout and the contents of the label must be approved by Bring Parcels EDI department ([edi@bring.com](mailto:edi@bring.com)) prior to implementation.

Future amendments to the label must also be approved by Bring Parcels EDI department.

### Package-id barcode

For parcels to and within the Nordic countries the package-ID must be printed in accordance with GS1 SSCC standard on page 6. Outside the Nordic countries it must be in accordance with the S10 standard issued by UPU (Universal Postal Union) on page 5.

However for product 0340 from Norway the S10 standard must always be used.

S10 barcodes may in special cases be used for the Nordic area – please contact Bring EDI department for further information ([edi@bring.com](mailto:edi@bring.com)).

## S10 Barcode specification for package-ID

### Data identifier

No data identifier.

### Contents

The S10 package ID range is allocated to each customer by Bring Parcels. Reuse is not allowed.

The Package-ID consists of a prefix (normally **CY**), an 8 digit number from the allocated range, a check digit (weighted modulus 11) and a suffix (normally **NO**).

### Symbology

Code 39

X-dimension (most narrow module) min. 0.37 mm

W/N Ratio min. 2.0

Symbol height min. 27 mm

Empty space before and after the barcode should be at least 7 mm

### Readable text

The form text **Package-ID**: is printed at the left side below the barcode (Arial 10 points or equivalent).

The contents of the barcode should be printed in plain text below the code (Arial 12 points bold or equivalent) grouped in 4+3+3+3 characters. Example:

Package-ID:           **CY00 000 967 6NO**

### Calculation of check digit in accordance with weighted modulus 11 formula

- Apply weighting factors to basic 8 digit serial number using the following weighting factors: 8 6 4 2 3 5 9 7
- Obtain the sum of these numbers
- Divide the sum by 11 (eleven)
- Subtract the remainder from 11
- If the result is in the range of 1 to 9, use the result as the check digit
- If the result is 10, use 0 as the check digit
- If the result is 11, use 5 as the check digit

#### Example:

Serial number	4	7	3	1	2	4	8	2
Weighting factors	x8	x6	x4	x2	x3	x5	x9	x7
Gives	32	+ 42	+ 12	+ 2	+ 6	+ 20	+ 72	+ 14 = 200

200 divided by 11 gives a remainder of 2

11 minus 2 gives 9: the check digit is **9**

Complete number including check digit: **473124829**

## GS1 SSCC Barcode specification

### Data identifier

GS1 Application Identifier (00) in the barcode specifies that it is a package-ID.

### Contents

Customers that are members of GS1 use their own serial number range. Non-members of GS1 will be allocated a serial number range from Bring.

Reuse within 2 years is not allowed.

### Symbology

GS1 128 according to EAN/UCC standard (code 128 with FNC1 according to EN799)

X-dimension (most narrow module) min. 0.375 mm

Symbol height min. 27 mm

Empty space before and after the barcode should be at least 7 mm

### Readable text

The form text **Package-ID:** is printed at the left side below the barcode (Arial 10 points or equivalent).

The contents of the barcode should be printed in plain text below the code.

### Calculation of check digit in accordance with modulus 10 formula

- Apply weighting factors to 17 digit serial number using the following weighting factors:  
3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3
- Obtain the sum of these numbers
- Subtract sum from nearest equal or higher multiple of ten
- Use the result as the check digit

#### Example:

Serial number:	3 7 6 1 0 4 2 5 0 0 2 1 2 3 4 5 6
Weighting factors:	3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3
Gives:	9 7 18 1 0 4 6 5 0 0 6 1 6 3 12 5 18 = 101

110 – 101 gives 9: Check digit is **9**

Complete number including check digit: **376104250021234569**

## Sorting barcode to Sweden

Packages to Sweden with product 0340 and 0342 must in addition to the SSCC barcode carry a **sorting barcode** (see label example on page 21):

### Contents

GS1 Application Identifier:	421
Country code of Sweden:	752
Postal code of delivery address:	5 digits without blanks

### Symbology

GS1 128 according to EAN/UCC standard (code 128 with FNC1 according to EN799)

X-dimension (most narrow module) min. 0.375 mm

Symbol height min. 25 mm

Empty space before and after the barcode should be at least 7 mm

### Readable text

The form text **Country/postal code:** is printed at the left side below the barcode (Arial 10 points or equivalent) followed by the contents of the barcode in plain text e.g.:

**Country/postal code: (421)75216751**

## Products and services as per 1/3 -2017

Following products and services are available with a Bring label and EDI:

### Products

0330	Business Parcel
0331	Business Parcel Return
0332	Business Parcel Bulk
0333	Business Parcel Return Bulk
0334	Express Nordic 09.00 Bulk
0335	Express Nordic 09.00 (limited use)
0336	Business Pallet
0339	Express Nordic 09.00 Pallet (limited use)
0340	PickUp Parcel
0341	PickUp Parcel Return
0342	PickUp Parcel Bulk
0343	PickUp Parcel Return Bulk
0345	Home Delivery Mailbox
0348	Home Delivery Parcel Return
0349	Home Delivery Parcel
0391	Business VIP (customer unique)
0392	Business Pallet VIP (customer unique)

### Services

0003	LIMITED QUANTITY ?? KG Gross
0010	Optional PickUp Point
0011	PickUp Locker
0014	External TSP (customer unique)
0015	Delivery/Pickup evening
0016	Delivery/Pickup weekend
0017	Express
0018	Swap
0019	Desktop Delivery (customer unique)
0029	Special Services (customer unique)
1133	ID Verification
1134	ID Individual Verification
0039	Delivery Indoors
0041	Flex Delivery
0051	COD (Cash On Delivery)
0058	MPS (Multi Parcel Shipment)
0061	½ Pallet
0062	¼ Pallet
<del>0069</del>	<del>Domestic Air</del>
0079	Delivery before 12.00 (for future use)
0091	eAdvising
1063	Contract- ID
1094	Delivery Notification to Sender
1095	Delivery Notification to 3 <sup>rd</sup> Party
1142	Telephone Notification



Products and services are valid to and/or within specific countries according to appendix A.

### Weight limitations:

Product code:	Product name:	To country:	Max. Weight:
0330	Business Parcel	AX, DK, FI, NO, SE FO, GL Remaining Countries	35 kg 50 kg 30 kg
0331	Business Parcel Return	DK, FI, NO, SE	35 kg
0332	Business Parcel Bulk	DK, FI, NO, SE Remaining Countries	35 kg 30 kg
0333	Business Parcel Return Bulk	DK, FI, NO, SE	35 kg
0334	Express Nordic 09.00 Bulk	NO	35 kg
0335	Express Nordic 09.00 (limited use)	SE Domestic	35 kg
0336	Business Pallet	DK Remaining Countries	750 kg 1.000 kg
0336+0061	½ Pallet	DK, FI, NO, SE	400 kg
0336+0062	¼ Pallet	DK, FI, SE	200 kg
0339	Express Nordic 09.00 Pallet(limited use)	SE Domestic	1.000 kg
0340	PickUp Parcel	DK FI, NO FO, GL Remaining Countries	31,5 kg 35 kg 50 kg 20 kg
0341	PickUp Parcel Return	DK, FI, NO, SE	20 kg
0342	PickUp Parcel Bulk	DK FI, NO Remaining Countries	31,5 kg 35 kg 20 kg
0342+0041	PickUp Parcel Bulk+ Flexdelivery	SE, DK	35 kg
0342+0051	PickUp Parcel Bulk + COD	DK	20 kg
0343	PickUp Parcel Return Bulk	DK, FI, NO, SE	20 kg
0345	Home Delivery Mailbox	NO	2 kg
0348	Home Delivery Parcel Return	DK, FI, NO, SE	500 kg
0349	Home Delivery Parcel	FI, NO, SE	35 kg

### Service code 0051 - COD

To Country	COD account in receiving country (local currency)
<b>Denmark</b>	<b>Without</b> payment form (info from EDI is used)–Not applicable from 2017-01-01
<b>Finland/Åland</b>	<b>Without</b> payment form (info from EDI is used)
<b>Faeroe Islands</b>	<b>Without</b> payment form (info from EDI is used) Danish account in DKK
<b>Greenland</b>	<b>Without</b> payment form (info from EDI is used) Danish account in DKK
<b>Iceland</b>	Icelandic payment form only
<b>Norway</b>	<b>Without</b> payment form (info from EDI is used) <b>0332/0334/0349</b> only allowed with Norwegian OCR account
<b>Sweden</b>	<b>Without</b> payment form (info from EDI is used)

## Handling Codes

The handling code is used for certain products and countries to ensure correct sorting. Following codes are used at present:

### **Product 0332, 0336, 0340, 0342 & 0349 to Denmark:**

Postal code 0000 – 4999:                    **Ø**  
Postal code 5000 – 9999:                    **V**

### **To Norway:**

Product 0345(mandatory)                    **M 3**  
Product 0349(mandatory)                    **H 2**  
Product 0334                                      **1**  
Product 0330/0332                              **2**  
Product 0340/0342                              **3**

## Weight symbol

A weight symbol should if possible be placed in the transport instruction block.

The symbols are as follows:




**Symbol 1** (0-15 kg)                    **Symbol 2** (>15-25 kg)                    **Symbol 3** (>25 kg)



The symbols may be downloaded from following link:

<http://www.tya.se/home/in-english/weight-marking-system>

## Label contents

<b>A</b>	→	<del>From: Intermec Technologies AB Teknisk Support Vendevägen 85A SE-402 94 DANDERYD</del>	
<b>B</b>	→	<b>To:</b> Hans Hansen c/o SwipBox Netto Måløv Måløv Hovedgade 30 <b>DK- 2760 Måløv</b> Danmark	<b>Date:</b> 01.06.2014
<b>E</b>	→	<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1
<b>H</b>	→	<b>Shipment-ID:</b> 73400014000001235	<b>Weight:</b> 9,1 kg <b>Customer no:</b> 00123456
<b>X</b>	→	<b>Recipient:</b> Hans Hansen Liljevangsvej 3 2760 Måløv	
<b>J</b>	→	<b>COD Amount::</b> <b>NOK 500,00</b>	<b>Account::</b> <b>3274123</b>
<b>L</b>	→	<b>COD reference:</b> <b>212515251456447</b>	
<b>N</b>	→	<b>Services:</b> <b>0051 - COD</b>	<b>M</b>
<b>O</b>	→	 <b>Product:</b> <b>PickUp Parcel Bulk</b>	<b>P</b>
<b>S</b>	→	<b>Product-ID:</b> <b>0342</b>	<b>Q</b>
<b>T</b>	→	<b>Senders reference:</b> P.O. 3994883	<b>R</b>
<b>U</b>	→	<b>Delivery instructions line 1</b> <b>Delivery instructions line 2</b>	<b>W</b>
<b>V</b>	→	<b>Barcode</b> S10 - Code 39 or SSCC – GS1 128	
		<b>Package-ID:</b> CY50 000 967 0NO	

The individual elements are explained on next pages.

Explanation to the columns:

Field: Reference to the A-Y marks on the labels on previous page  
 Form Text: Line 1: Form text  
                   Line 2: Contents of the field  
                   Following lines: Further explanation  
 Pts: Recommended point size if font Arial is used (b = bold)  
 M/R/C: Mandatory/Recommended/Conditional


Field	Form Text / <b>Contents</b> / Explanation	Pts	M/R/C
<b>A</b>	From: <b>Senders return address</b> For BulkSplit parcels this address will normally be a local address in the delivery country (Bring Parcels address or sender's local address). In some countries the sorting facilities have OCR capture of data from the label in an attempt to determine the delivery postal code. To avoid capture the senders return address should be crossed over and a horizontal line should be printed through the postal code of this address. (e.g. DK - 2000 Frederiksberg or <del>DK—2000 Frederiksberg</del> ).	7 8	M M
	<b>B</b> To: <b>Delivery address</b> The delivery address must be clearly visible for handling staff. The line containing country code, postal code and city should be printed in a larger font bold. 2 character ISO country code (ISO 3166) should be used. In this case the country name may be omitted to save space.	7  12 16b	M
<b>C</b>	Date: <b>Dispatch date</b>  For Return Service (product 0331/0333/0341/0343): Not valid after: <b>Latest return date (normally 3 month after issue).</b> Exception for 0341/0343 from Sweden: 1 month after issue	7 10  7 10	R
	<b>D</b> Phone: <b>Telephone number of the recipient</b> May be used in connection with delivery problems also required for service 1142- Telephone Notification.	7 10	R
<b>E</b>	Package-ID: <b>Unique Package identity</b> The contents of the barcode in field U.	7 10	R
<b>F</b>	Packages: <b>Package number / Total number of packages</b> Sequential number of the package and the total number of packages in the shipment. The numbers are divided by a slash e.g. 1 / 3 Required if service 0058 – MPS is used or if COD covers multiple packages.	7 10	C
<b>G</b>	Weight: <b>Gross Weight</b> The gross weight of the package. The weight should be stated in kilos with one decimal. The unit (kg) is printed after the weight. In case of multiple parcels in a shipment the package weight as well as the total weight should be stated (e.g. Weight: 9 / 27 kg). In case that the total weight or the package weight is unknown the unknown value should be indicated with a dash e.g. 9/ - or - /27.	7 10	C

Field	Form Text / <b>Contents</b> / Explanation	Pts	M/R/C
<b>H</b>	Shipment-ID: <b>Unique shipment identity</b> Shipment-ID (17 digit GS1 shipment no) is required if service 0058 – MPS is used or if COD covers multiple packages.	7 10	C
<b>I</b>	Customer no.: <b>Bring Parcels customer number</b> (8 digits including zeroes)	7 10	M
<b>J</b>	COD Amount: <b>COD Currency and Amount</b> Required if service 0051 – COD is used. If COD covers more than one package the COD details must be printed on all labels and the text (total) must be added after the amount. In this case Shipment-ID (H) and Package number/Total number of packages (F) must be printed.	7 10b	C
<b>K</b>	COD Account: <b>COD bank/giro account number</b> Required if service 0051 – COD is used.	7 10b	C
<b>L</b>	COD Reference: <b>Bank reference</b> Required if service 0051 – COD is used.	7 10b	C
<b>M</b>	<b>Symbol depending on product/service</b> Service 0051: COD triangle (min. size 37 x 18 mm) Product 0334/0335/0339: 9 o'clock symbol Service 0079: 12 o'clock symbol		C
<b>N</b>	Services: <b>Service code – Service name</b> Required if services apply E.g.: 0041 – Flex Delivery The service 0051 – COD must be printed in reverse: <b>0051 – COD</b>	7 14	C
<b>O</b>	<b>Bring Logo</b>		M
<b>P</b>	Product: <b>Product name</b> E.g. Business Parcel (see page 8) Form text is not used in the label	7 16	M
<b>Q</b>	<b>Handling code</b> Required for certain products to Norway e.g. 0345: M 3 (see page 10)	40	C
<b>R</b>	Product-ID: <b>Product code</b> (4 digits) E.g. 0330 (see page 8)	7 24	M
<b>S</b>	Senders reference: <b>Customer reference</b>	7 10	
<b>T</b>	<b>Delivery instructions</b> Recommended for service 0041 – Flex Delivery	10b	C
<b>U</b>	<b>Barcode containing the package-id</b> S10 or GS1 SSCC according to rules on page 4-6		C
<b>V</b>	Package-ID: <b>Contents of the barcode</b> See page 4-6	7 12	


Field	Form Text / <b>Contents</b> / Explanation	Pts	M/R/C
<b>W</b>	Customer specific information (e.g. details about contents) may be placed in a block above the barcode block separated by horizontal lines. Customer barcodes in this block must be approved by Bring as this may effect automatic sorting equipment.		
<b>X</b>	<b>Sorting barcode when required according to rules on page 7</b>		C
<b>Y</b>	<b>Weight symbol</b> (see page 10)		C
<b>Z</b>	<b>Recipient</b> Recipient address when service code 0010 (Optional PickUp Point) or 0011 (PickUp Locker) is used.	7 8	C

## Label examples

### 1) Business Parcel


<del>From: Intermec Technologies AB Teknisk Support Vendevægen 85A DK-4820 DANDELYD</del>		
<b>To:</b> Bring Parcels AB Fuglebækvej 5-9 <b>DK-2770 Kastrup</b> Denmark		<b>Date:</b> 18.11.2012  <b>Phone:</b> +45 70286000
<b>Package-ID:</b> 373400014000001906	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235	<b>Customer no:</b> 00123456	
<hr/> <div style="display: flex; align-items: center;">  <div> <p style="font-size: 8px;">Product:</p> <p style="font-weight: bold; font-size: 14px;">Business Parcel</p> <p style="font-size: 8px;">Product-ID:</p> <p style="font-weight: bold; font-size: 24px;">0330</p> </div> <div style="margin-left: 20px; font-size: 24px;">Ø</div> </div> <hr/> <p style="font-size: 8px;">Senders reference: P.O. 3994883</p> <hr/> <div style="border: 1px solid black; padding: 10px; margin: 10px 0;"> <p style="font-size: 18px; font-weight: bold;">Barcode</p> <p style="font-size: 18px; font-weight: bold;">S10 - Code 39 or</p> <p style="font-size: 18px; font-weight: bold;">SSCC – GS1 128</p> </div> <hr/> <p style="font-size: 8px;">Package-ID: (00)373400014000001906</p>		

2) Business Parcel Bulk - Minimum size label



From: Intermec Technologies AB, Bring Parcels, Fuglebaeksvej 5-9, <del>DK-2770</del> Kastrup		
To: Bring Parcels AB Fågelveien 5-9 <b>NO-0160 Oslo</b> Norge	Date: 18.12.2012	Phone: +47 70286000
Package-ID: CY500009670NO	Packages: 1/1	Weight: 9,1 kg
Shipment-ID: 73400014000001235		Customer no: 00123456
 Product: <b>Business Parcel Bulk</b> Product-ID: <b>0332</b>		
<b>Barcode</b> S10 - Code 39 or SSCC – GS1 128		
Package-ID:	CY50 000 967 0NO	




3) Business Parcel Bulk with service **0058 – MPS**

<del>From: Intermec Technologies AB Bring Parcels AB Fuglebakkevej 5-9 DK-2770 –Kastrup</del>		
<b>To:</b> Bring Parcels AB Adelgaten 5-9 <b>NO-1767 Halden</b> Norge		<b>Date:</b> 18.02.2012
		<b>Phone:</b> +47 70286000
<b>Package-ID:</b> CY50009670NO	<b>Packages:</b> 1/3	<b>Weight:</b> 9,1 / 27,0 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no:</b> 00123456
<hr/>		
<b>Services:</b> <b>0058 - MPS</b>		
	<b>Product:</b> Business Parcel Bulk	
	<b>Product-ID:</b> <b>0332</b>	
<b>Senders reference:</b> P.O. 3994883		
<hr/>		
<b>Barcode</b> S10 - Code 39 or SSCC – GS1 128		
<b>Package-ID:</b> CY50 000 967 0NO		




4) Express Nordic 09.00 Bulk

<del>From: Intermec Technologies AB Bring Parcels c/o c/o Logistikksenteret NO-0668 OSLO</del>		
<b>To:</b> Bring Parcels AB Alfasetvei 4 <b>NO-0668 Oslo</b> Norge		<b>Date:</b> 18.11.2012
		<b>Phone:</b> +47 70286000
<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no.:</b> 00123456
		
	<b>Product:</b> Express Nordic 09.00 Bulk <b>Product-ID:</b> <b>0334</b>	<b>1</b>
<b>Senders reference:</b> P.O. 3994883		
<b>Barcode</b> S10 - Code 39 or SSCC – GS1 128		
<b>Package-ID:</b> CY50 000 967 0NO		


5) PickUp Parcel Bulk with **0039 – Delivery Indoors**

<del>From: Intermec Technologies AB Bring Parcels Bordsvägen 5 SE-556 40 Jönköping</del>		
<b>To:</b> Hans Berg Västberga alle 60 <b>SE- 126 30 Västberga</b> Sweden		<b>Date:</b> 18.03.2016
		<b>Phone:</b> +46 70286000
<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no.:</b> 00123456
<hr/>		
<b>Services:</b> <b>0039 – Delivery Indoors</b>		
	<b>Product:</b> <b>PickUp Parcel Bulk</b>	
	<b>Product-ID:</b> <b>0342</b>	
<b>Senders reference:</b> P.O. 3994883		
<b>Lämnas i receptionen plan 3</b>		
<hr/>		
<b>Barcode</b> <b>S10 - Code 39 or</b> <b>SSCC – GS1 128</b>		
<b>Package-ID:</b> CY50 000 967 0NO		



6) PickUp Parcel Bulk with **0051 – COD**

<del>From:</del> <del>Intermec Technologies AB</del> <del>Bring Parcels</del> <del>Logistikkenteret</del> <del>NO-0668 Oslo</del>								
<b>To:</b> Hans Berg Alfasetvei 9 <b>NO- 0668 OSLO</b> Norge		<b>Date:</b> 18.11.2012  <b>Phone:</b> +47 70286000						
<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg						
<b>Shipment-ID:</b> 73400014000001235	<b>Customer no:</b> 00123456							
<table style="width: 100%;"> <tr> <td style="width: 30%; padding: 5px;"> <b>COD Amount::</b>  <b>NOK 500,00</b> </td> <td style="width: 30%; padding: 5px;"> <b>Account::</b>  <b>3274123</b> </td> <td style="width: 40%; text-align: center; padding: 5px;"> <div style="background-color: black; color: white; width: 50px; height: 50px; margin: 0 auto; transform: rotate(45deg); display: flex; align-items: center; justify-content: center;"> <span style="font-size: 24px; font-weight: bold;">COD</span> </div> </td> </tr> <tr> <td colspan="3" style="padding: 5px;"> <b>COD reference:</b>  <b>212515251456447</b> </td> </tr> </table>			<b>COD Amount::</b> <b>NOK 500,00</b>	<b>Account::</b> <b>3274123</b>	<div style="background-color: black; color: white; width: 50px; height: 50px; margin: 0 auto; transform: rotate(45deg); display: flex; align-items: center; justify-content: center;"> <span style="font-size: 24px; font-weight: bold;">COD</span> </div>	<b>COD reference:</b> <b>212515251456447</b>		
<b>COD Amount::</b> <b>NOK 500,00</b>	<b>Account::</b> <b>3274123</b>	<div style="background-color: black; color: white; width: 50px; height: 50px; margin: 0 auto; transform: rotate(45deg); display: flex; align-items: center; justify-content: center;"> <span style="font-size: 24px; font-weight: bold;">COD</span> </div>						
<b>COD reference:</b> <b>212515251456447</b>								
<b>Services:</b> <div style="background-color: black; color: white; padding: 2px 5px; display: inline-block; font-weight: bold;">0051 – COD</div>								
<table style="width: 100%;"> <tr> <td style="width: 15%; padding: 5px;">  </td> <td style="padding: 5px;"> <b>Product:</b>  <b>PickUp Parcel Bulk</b> </td> </tr> <tr> <td style="padding: 5px;"> <b>bring</b> </td> <td style="padding: 5px;"> <b>Product-ID:</b>  <span style="font-size: 24px; font-weight: bold;">0342</span> </td> </tr> </table>				<b>Product:</b> <b>PickUp Parcel Bulk</b>	<b>bring</b>	<b>Product-ID:</b> <span style="font-size: 24px; font-weight: bold;">0342</span>		
	<b>Product:</b> <b>PickUp Parcel Bulk</b>							
<b>bring</b>	<b>Product-ID:</b> <span style="font-size: 24px; font-weight: bold;">0342</span>							
<b>Senders reference:</b> P.O. 3994883								
<div style="border: 1px solid black; padding: 10px; text-align: center;"> <p style="font-size: 18px; margin: 0;">Barcode</p> <p style="font-size: 24px; margin: 0;">S10 - Code 39 or</p> <p style="font-size: 24px; margin: 0;">SSCC – GS1 128</p> </div>								
<b>Package-ID:</b> CY50 000 967 0NO								


## 7) PickUp Parcel Bulk to Sweden

<del>From: Intermec Technologies AB Bring Parcels AB Bordsvägen 3 SE-55040 Jönköping</del>		
<b>To:</b> Hans Berg Gustavslundsvägen 151 <b>SE- 167 51 Bromma</b> Sweden		<b>Date:</b> 18.12.2015
		<b>Phone:</b> +46765271600
<b>Package-ID:</b> 370701120004077962	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no:</b> 00123456
<b>Barcode GS1 128</b>		
Country/postal code: (421) 752 16751		
<b>Services:</b>		
	<b>Product:</b> PickUp Parcel Bulk	
	<b>Product-ID:</b> <b>0342</b>	
<b>Senders reference:</b> P.O. 3994883		
<b>Barcode</b> <b>SSCC – GS1 128</b>		
<b>Package-ID:</b> (00)370701120004077962		


8) PickUp Parcel Bulk to Denmark

<del>From: Intermec Technologies AB Bring Parcels o/a Fuglebakvej 5-9 DK-2770 Kastrup</del>		
<b>To:</b> Hans Berg Energivej 76 <b>DK- 2750 Ballerup</b> Denmark		<b>Date:</b> 18.05.2013  <b>Phone:</b> +45 70286000
<b>Package-ID:</b> 370701120004077962	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg <b>Customer no.:</b> 00123456
<b>Shipment-ID:</b> 73400014000001235		
<hr/> <b>Services:</b>		
	<b>Product:</b> PickUp Parcel Bulk <b>Product-ID:</b> 0342	
<b>Senders reference:</b> P.O. 3994883		
<div style="border: 1px solid black; padding: 10px; width: fit-content; margin: 0 auto;"> <p><b>Barcode</b>  <b>SSCC – GS1 128</b></p> </div>		
Package-ID: (00)370701120004077962		

9) Pickup Parcel Bulk with **0003- LIMITED QUANTITY ?? KG Gross**


<del>From: Intermec Technologies AB c/o Bring Parcels PL 3710 FI-00002 Helsinki</del>		
<b>To:</b> Ritva Pennanen Robert Huberin tie 2 <b>FI-01510 Vantaa</b> Finland		<b>Date:</b> 01.11.2012
		<b>Phone:</b> +3580286000
<b>Package-ID:</b> CY500009670NO	<b>Packages:</b> 1/1	<b>Weight:</b> 2,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no:</b> 00123456
<hr/>		
<b>Services:</b> <b>0003- LIMITED QUANTITY 2.1 KG Gross</b>		
	<b>Product:</b> <b>PickUp Parcel Bulk</b>	
	<b>Product-ID:</b> <b>0342</b>	
<b>Senders reference:</b> P.O. 3994883		
<hr/>		
<b>Barcode</b> <b>S10 - Code 39 or</b> <b>SSCC – GS1 128</b>		
<b>Package-ID:</b> CY50 000 967 0NO		

10) Pickup Parcel Bulk with **0011- PickUp Locker** to Denmark


<del>From: Intermec Technologies AB Bring Parcels c/o Fuglebakvej 5-9 DK-2770 -Kastrup</del>		
<b>To:</b> Hans Berg c/o <b>SwipBOX Netto Middelfart</b> <b>Brovejen 3</b> <b>DK- 5500 Middelfart</b> Denmark		<b>Date:</b> 18.12.2015  <b>Phone:</b> +45 70286000
<b>Package-ID:</b> 370701120004077962	<b>Packages:</b> 1/1	<b>Weight:</b> 9,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no.:</b> 00123456
<b>Recipient:</b> Hans Berg Energivej 76 DK- 2750 Ballerup		
<b>Services: 0011- PickUp Locker</b>		
	<b>Product:</b> PickUp Parcel Bulk <b>Product-ID:</b> <b>0342</b>	<b>V</b>
<b>Senders reference:</b> P.O. 3994883		
<b>Barcode</b> <b>SSCC – GS1 128</b>		
<b>Package-ID: (00)370701120004077962</b>		




11) Home Delivery Mailbox

<del>From: Intermec Technologies AB c/o Logistikksektoret NO-0060 OSLO</del>		
<b>To:</b> Hans Hansen Hausmannsgate 19 <b>NO-0182 Oslo</b> Norge		<b>Date:</b> 18.11.2012  <b>Phone:</b> +47 21503700
<b>Package-ID:</b> 370701120004077979	<b>Packages:</b> 1/1	<b>Weight:</b> 1,1 kg <b>Customer no.:</b> 00123456
<b>Shipment-ID:</b> 73400014000001235		
<hr/>		
<hr/>		
	<b>Product:</b> Home Delivery Mailbox <b>Product-ID:</b> 0345	<b>M 3</b>
<b>Senders reference:</b> P.O. 3994883		
<hr/>		
<div style="border: 1px solid black; padding: 10px; text-align: center;"> <b>Barcode</b>  <b>SSCC – GS1 128</b> </div>		
<b>Package-ID:</b> (00)370701120004077979		

12) Home Delivery Parcel

<del>From: Intermec Technologies AB c/o Bring Parcels c/o Logistikkenteret NO-0660 OSLO</del>		
<b>To:</b> Hans Hansen Hausmannsgate 19 <b>NO-0182 Oslo</b> Norge		<b>Date:</b> 18.11.2012
		<b>Phone:</b> +47 21503700
<b>Package-ID:</b> 370701120004077986	<b>Packages:</b> 1/1	<b>Weight:</b> 1,1 kg
<b>Shipment-ID:</b> 73400014000001235		<b>Customer no:</b> 00123456
<hr/>		
<hr/>		
	<b>Product:</b> Home Delivery Parcel <b>Product-ID:</b> <b>0349</b>	<b>H2</b>
<b>Senders reference:</b> P.O. 3994883		
<hr/>		
<b>Barcode</b> <b>SSCC – GS1 128</b>		
Package-ID: (00)370701120004077986		

## 13) Business Parcel Return

<del>From: Bring Parcels AB Fuglebækvej 5 DK-2770 Kastrup</del>		
To: Intermec Technologies AB Teknisk Support Vendevägen 85A <b>SE-182 91 Danderyd</b> Sverige		Date: 01.09.2012  <b>Not valid after:</b> 2012-12-01
Package-ID: 370701120004077993	Packages: 1/1	Weight: 9,1 kg
Shipment-ID: 73400014000001235		Customer no: 00123456
	Product: <b>Business Parcel Return</b> Product-ID: <b>0331</b>	
Senders reference: Original package-ID (00)370701120004067000		
<b>Barcode</b> <b>SSCC – GS1 128</b>		
Package-ID: (00)370701120004077993		

14) PickUp Parcel Return

<del>From: Bente Wijk Alfasetveien 4 NO-0668 Oslo</del>		
To: <b>Bring Parcels AB</b>	Date: 01.09.2012	
Fuglebækvej 5 <b>DK-2770 Kastrup</b> Danmark		
<b>Not valid after:</b> 2012-12-01		
Package-ID: 370701120004078006	Packages: 1/1	Weight: 9,1 kg
Shipment-ID: 73400014000001235	Customer no: 00123456	
	Product: <b>PickUp Parcel Return</b>	Product-ID: <b>0341</b>
Senders reference: Original package-ID (00)370701120004068007		
Barcode <b>SSCC – GS1 128</b>		
Package-ID: (00)370701120004078006		