



Message Implementation Guideline

## ItemDataNotification

Model: ItemDataNotification  
Version: GS1 BMB 3.1  
Variant: 6  
Issue date: 03.04.2019  
Author: Vidar Thoresen

1 Structure.....	3
2 Guideline .....	5

---

# Change log ItemDataNotification

Date	Variant	Comments
08.04.2019	6	Merged GS1 3.1 for Axia and Nyce systems

## Structure

Occurrence	Element/Attribute
	<b>itemDataNotificationMessage</b>
1 .. 1	xsd:sequence
1 .. 1	<b>sh:StandardBusinessDocumentHeader</b>
1 .. 1	xs:sequence
1 .. 1	<b>HeaderVersion</b>
1 .. unbounded	<b>Sender</b>
1 .. 1	xs:sequence
1 .. 1	<b>Identifier</b>
	<i>Authority</i>
1 .. unbounded	<b>Receiver</b>
1 .. 1	xs:sequence
1 .. 1	<b>Identifier</b>
	<i>Authority</i>
1 .. 1	<b>DocumentIdentification</b>
1 .. 1	xs:sequence
1 .. 1	<b>Standard</b>
1 .. 1	<b>TypeVersion</b>
1 .. 1	<b>InstanceIdentifier</b>
1 .. 1	<b>Type</b>
1 .. 1	<b>CreationDateAndTime</b>
1 .. 10000	<b>itemDataNotification</b>
1 .. 1	xs:sequence
1 .. 1	<b>creationDateTime</b>
1 .. 1	<b>documentStatusCode</b>
1 .. 1	xs:sequence
1 .. 1	<b>itemDataNotificationIdentification</b>
1 .. 1	xs:sequence
1 .. 1	<b>entityIdentification</b>
1 .. 1	<b>dataSource</b>
1 .. 1	xs:sequence
0 .. unbounded required	<b>additionalPartyIdentification</b>
	<i>additionalPartyIdentificationTypeCode</i>
1 .. 1	<b>dataRecipient</b>
1 .. 1	xs:sequence
0 .. 1	<b>gln</b>
0 .. unbounded required	<b>additionalPartyIdentification</b>
	<i>additionalPartyIdentificationTypeCode</i>
1 .. unbounded	<b>itemDataNotificationLineItem</b>
1 .. 1	xs:sequence
1 .. 1	<b>lineItemNumber</b>
0 .. unbounded required	<b>tradeItemDescription</b>
	<i>languageCode</i>
	<i>codeListVersion</i>
0 .. 1	<b>productVariantIdentifier</b>
1 .. 1	<b>tradeItemIdentification</b>
1 .. 1	xs:sequence
1 .. 1	<b>gtin</b>
0 .. unbounded required	<b>additionalTradeItemIdentification</b>
	<i>additionalTradeItemIdentificationTypeCode</i>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group



Occurrence	Element/Attribute
<b>0 .. 1</b>	<b>itemDataTradingPartnerNeutral</b>
1 .. 1	xsd:sequence
1 .. 1	<b>effectiveDateTime</b>
1 .. 1	<b>tradeltemBaseUnitOfMeasure</b>
1 .. 1	<b>startAvailabilityDateTime</b>
1 .. 1	<b>endAvailabilityDateTime</b>
0 .. 1	<b>tradeltemClassificationCode</b>
0 .. unbounded required	<i>additionalTradeltemClassificationCodeListCode</i>
<b>0 .. 1</b>	<b>itemDataWeightAndDimension</b>
1 .. 1	xsd:sequence
0 .. 1 required	<b>depth</b>
	<i>measurementUnitCode</i>
0 .. 1 required	<b>height</b>
	<i>measurementUnitCode</i>
0 .. 1 required	<b>netWeight</b>
	<i>measurementUnitCode</i>
0 .. 1 required	<b>width</b>
	<i>measurementUnitCode</i>
<b>0 .. 1</b>	<b>itemDataTradingPartnerDependent</b>
1 .. 1	xsd:sequence
1 .. 1	<b>tradeltemSpecificUnitOfMeasure</b>
0 .. 1	<b>orderQuantityMultiple</b>
<b>0 .. 1</b>	<b>itemDataLogisticUnitInformation</b>
1 .. 1	xsd:sequence
1 .. 1	<b>tradeltemQuantity</b>

Bold = Simple Element, Bold on grey background = Complex Element, Italic = Attribute, Grey = Group

## Guideline

Element/Attribute	Annotation
<b>ItemDataNotificationMessage</b>	Type item_data_notification:ItemDataNotificationMessageType
xsd:sequence	Occurrence 1 .. 1
<b>sh:StandardBusinessDocumentHeader</b>	Occurrence 1 .. 1 Type sh:StandardBusinessDocumentHeader
xsd:sequence	Occurrence 1 .. 1
<b>HeaderVersion</b>	Occurrence 1 .. 1 Type xsd:string Example <b>3.1</b>
<b>Sender</b>	Occurrence 1 .. unbounded Type sh:Partner
xsd:sequence	Occurrence 1 .. 1
<b>Identifier</b>	Occurrence 1 .. 1 Type sh:PartnerIdentification Remark <b>Client Id</b> Example <b>12345</b>
<i>Authority</i>	Type xsd:string Example <b>ZZ</b>
<b>Applicable Codes</b>	
<b>14</b>	EAN International
<b>ZZ</b>	Mutually defined
<b>Receiver</b>	Occurrence 1 .. unbounded Type sh:Partner
xsd:sequence	Occurrence 1 .. 1
<b>Identifier</b>	Occurrence 1 .. 1 Type sh:PartnerIdentification Remark <b>GLN for receiver of the message</b> Example <b>7080000950171</b>
<i>Authority</i>	Type xsd:string
<b>Applicable Codes</b>	
<b>14</b>	EAN International
<b>DocumentIdentification</b>	Occurrence 1 .. 1 Type sh:DocumentIdentification
xsd:sequence	Occurrence 1 .. 1
<b>Standard</b>	Occurrence 1 .. 1 Type xsd:string Example <b>GS1 BMS</b>
<b>TypeVersion</b>	Occurrence 1 .. 1 Type xsd:string Example <b>3.1</b>
<b>InstanceIdentifier</b>	Occurrence 1 .. 1 Type xsd:string Example <b>GS1</b>
<b>Type</b>	Occurrence 1 .. 1 Type xsd:string Example <b>ItemDescription</b>
<b>CreationDateAndTime</b>	Occurrence 1 .. 1 Type xsd:dateTime Remark <b>Creation date/time for the message</b> Example <b>2014-10-01T12:00:00</b>
<b>itemDataNotification</b>	Occurrence 1 .. 10000 Type item_data_notification:ItemDataNotificationType
xsd:sequence	Occurrence 1 .. 1
<b>creationDateTime</b>	Occurrence 1 .. 1 Type xsd:dateTime

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Remark</b> Creation Date/time for the message <b>Example</b> 2010-10-01T12:00:00
<b>documentStatusCode</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> shared_common:DocumentStatusEnumerationType <b>Example</b> ORIGINAL
	<b>Applicable Codes</b>
	<b>ORIGINAL</b>
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>itemDataNotificationIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> shared_common:EntityIdentificationType
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>entityIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> restriction (xsd:string) <b>Remark</b> Document/message number <b>Example</b> 456709
<b>dataSource</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> ecom_common:TransactionalPartyType
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>additionalPartyIdentification</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shared_common:AdditionalPartyIdentificationType <b>Remark</b> Client Id <b>Example</b> 12345
<i>additionalPartyIdentificationTypeCode</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 80 <b>Use</b> required <b>Example</b> 88
	<b>Applicable Codes</b>
	88 Assigned by the owner of operation
<b>dataRecipient</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> ecom_common:TransactionalPartyType
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>gln</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shared_common:GLNType <b>Pattern</b> \d{13} <b>Remark</b> GLN for the receive of the message (Warehouse) <b>Example</b> 73933214000111
<b>additionalPartyIdentification</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shared_common:AdditionalPartyIdentificationType <b>Remark</b> Warehouse Code, to be agreed <b>Example</b> BERGER
	<b>Applicable Codes</b>
	4033 Stavanger (Norway)
	5500 Haugesund (Norway)
	AES Ålesund (Norway)
	BERGER Berger/Skedsbokorset (Norway)
	BS02 Kongshavn (Norway)
	BS07 Trollåsen (Norway)
	BS17 Bergen (Norway)
	BS26 Trondheim (Norway)
	BS34 Tromsø (Norway)
	FI01 Finland
	JKPG01 Sweden
	NCD Lierstrand (Norway)
<i>additionalPartyIdentificationTypeCode</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 80 <b>Use</b> required

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
	<b>Example</b> 88
	<b>Applicable Codes</b>
	<b>88</b> Assigned by the owner of operation
<b>itemDataNotificationLinItem</b>	<b>Occurrence</b> 1 .. unbounded <b>Type</b> item_data_notification:ItemDataNotificationLinItem
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>linItemNumber</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> xsd:positiveInteger <b>FractionDigits</b> 0 <b>Inclusive</b> 1 .. <b>Remark</b> <b>line Item number</b> <b>Example</b> 1
<b>tradelItemDescription</b>	<b>Occurrence</b> 0 .. unbounded <b>Type</b> shared_common:Description1000Type <b>Remark</b> <b>Item description</b> <b>Example</b> <b>SPECTRA WIRE LOCK x 650MM</b> <b>Restriction</b> <i>Text 45 pos</i> <b>Note</b> This element can be used for additional Item Description in combination with the code in TradelItemDescriptionCodeListVersion for Sweden and Finland. When this element is used for COLOR or SIZE - the 3 different fields in NYCE are sperated with ' : '  <b>Description</b> <b>Example: 12000:13:COLOR BDAW16</b> <b>Description</b> <b>12000 = Variant/Name/Value</b> <b>Description</b> <b>13 = VariantValue/SortOrder</b> <b>Description</b> <b>COLOR BDAW16 = VariantValue/Value</b>
<i>languageCode</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 80 <b>Use</b> required <b>Example</b> EN
	<b>Applicable Codes</b>
	<b>DA</b> Danish <b>EN</b> English <b>FI</b> Finnish <b>NO</b> Norwegian <b>SV</b> Swedish
<i>codeListVersion</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 35
	<b>Applicable Codes</b>
	<b>Activity</b> <b>BRAND</b> <b>COLOR</b> <b>Construction</b> <b>Fabric</b> <b>GENDER</b> <b>ItemDescription</b> <b>ProductType</b> <b>SIZE</b> <b>USMID</b>
<b>productVariantIdentifier</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> restriction (xsd:string) <b>Remark</b> <b>Product Category</b> <b>Example</b> <b>Dy178090</b> <b>Restriction</b> <i>Text 8 pos</i>
<b>tradelItemIdentification</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> shared_common:TradelItemIdentificationType
xsd:sequence	<b>Occurrence</b> 1 .. 1

**Bold** = Element, *Italic* = Attribute, **Grey** = Group

Element/Attribute	Annotation																						
<b>gtin</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> shared_common:GTINType</p> <p><b>Pattern</b> \d{14}</p> <p><b>Remark</b> <b>GTIN, if not used fill in with zeros</b></p> <p><b>Example</b> <b>0000000000000</b></p>																						
<b>additionalTradeltemIdentification</b>	<p><b>Occurrence</b> 0 .. unbounded</p> <p><b>Type</b> shared_common:AdditionalTradeltemIdentificationType</p> <p><b>Remark</b> <b>Supplier's Item number</b></p> <p><b>Example</b> <b>8400123</b></p> <p><b>Restriction</b> <i>Text 21 pos Mandatory</i></p> <p><b>Remark</b> <b>UNnr (dangerous goods)</b></p> <p><b>Example</b> <b>1814</b></p> <p><b>Restriction</b> <i>Numeric 4 pos Optional</i></p> <p><b>Remark</b> <b>Producer's article number</b></p> <p><b>Example</b> <b>CDS-9013</b></p> <p><b>Restriction</b> <i>Text 15 pos Optional</i></p> <p><b>Remark</b> <b>Commodity Code</b></p> <p><b>Example</b> <b>9506190000</b></p> <p><b>Restriction</b> <i>Text 10 pos Optional</i></p> <p><b>Remark</b> <b>Country of Origin</b></p> <p><b>Example</b> <b>KR</b></p> <p><b>Restriction</b> <i>Text 4 pos Optional</i></p>																						
<i>additionalTradeltemIdentificationTypeCode</i>	<p><b>Type</b> restriction (xsd:string)</p> <p><b>Length</b> 1 .. 80</p> <p><b>Use</b> required</p> <p><b>Example</b> <b>SA</b></p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>HS</b></td> <td>Harmonised System</td> </tr> <tr> <td><b>MF</b></td> <td>Manufacturer's (producer's) article number</td> </tr> <tr> <td><b>SA</b></td> <td>Supplier's article number</td> </tr> <tr> <td><b>Z1</b></td> <td>Item BarCode</td> </tr> <tr> <td><b>ZCO</b></td> <td>Country of Origin</td> </tr> <tr> <td><b>ZHIC</b></td> <td>Handling Instruction Code</td> </tr> <tr> <td><b>ZIC</b></td> <td>Item Category</td> </tr> <tr> <td><b>ZMSRP</b></td> <td>Market Suggested Retail Price</td> </tr> <tr> <td><b>ZRS</b></td> <td>Removal Strategy</td> </tr> <tr> <td><b>ZUST</b></td> <td>USTariff</td> </tr> <tr> <td><b>ZZ</b></td> <td>UNnr</td> </tr> </table>	<b>HS</b>	Harmonised System	<b>MF</b>	Manufacturer's (producer's) article number	<b>SA</b>	Supplier's article number	<b>Z1</b>	Item BarCode	<b>ZCO</b>	Country of Origin	<b>ZHIC</b>	Handling Instruction Code	<b>ZIC</b>	Item Category	<b>ZMSRP</b>	Market Suggested Retail Price	<b>ZRS</b>	Removal Strategy	<b>ZUST</b>	USTariff	<b>ZZ</b>	UNnr
<b>HS</b>	Harmonised System																						
<b>MF</b>	Manufacturer's (producer's) article number																						
<b>SA</b>	Supplier's article number																						
<b>Z1</b>	Item BarCode																						
<b>ZCO</b>	Country of Origin																						
<b>ZHIC</b>	Handling Instruction Code																						
<b>ZIC</b>	Item Category																						
<b>ZMSRP</b>	Market Suggested Retail Price																						
<b>ZRS</b>	Removal Strategy																						
<b>ZUST</b>	USTariff																						
<b>ZZ</b>	UNnr																						
<b>itemDataTradingPartnerNeutral</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> item_data_notification:ItemDataTradingPartnerNeutralType</p>																						
<i>xsd:sequence</i>	<p><b>Occurrence</b> 1 .. 1</p>																						
<b>effectiveDateTime</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> xsd:dateTime</p> <p><b>Remark</b> <b>Effective date/Time</b></p> <p><b>Example</b> <b>2014-10-05T00:00:00</b></p>																						
<b>tradeltemBaseUnitOfMeasure</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> shared_common:MeasurementUnitCodeType</p> <p><b>Remark</b> <b>Trade Item</b></p> <p><b>Example</b> <b>PCE</b></p> <p><b>Restriction</b> <i>Text 4 pos Mandatory</i></p> <p><b>Applicable Codes</b></p> <table> <tr> <td><b>PCE</b></td> <td>pieces</td> </tr> </table>	<b>PCE</b>	pieces																				
<b>PCE</b>	pieces																						
<b>startAvailabilityDateTime</b>	<p><b>Occurrence</b> 1 .. 1</p> <p><b>Type</b> xsd:dateTime</p>																						

Bold = Element, Italic = Attribute, Grey = Group



Element/Attribute	Annotation																
<b>endAvailabilityDateTime</b>	<p><b>Remark</b> Start availability date/time</p> <p><b>Example</b> 2014-10-05T00:00:00</p> <p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> xsd:dateTime</p>																
<b>tradeItemClassificationCode</b>	<p><b>Remark</b> End Availability DateTime</p> <p><b>Example</b> 2015-12-31T00:00:00</p> <p><b>Occurrence</b> 0 .. unbounded</p> <p><b>Type</b> shared_common: AdditionalTradeItemClassificationCodeType</p> <p><b>Remark</b> Indicates Batch handling</p> <p><b>Example</b> BH</p> <p><b>Remark</b> Indicates Quality Inspection</p> <p><b>Example</b> QI</p> <p><b>Applicable Codes</b></p> <table border="0"> <tr> <td><b>APD</b></td> <td>Allow Partial Delivery</td> </tr> <tr> <td><b>BH</b></td> <td>Batch handling</td> </tr> <tr> <td><b>IMEI</b></td> <td>IMEI required</td> </tr> <tr> <td><b>INF</b></td> <td>Inventory Now Flag</td> </tr> <tr> <td><b>ISTA</b></td> <td>ItemStatusActive</td> </tr> <tr> <td><b>ISTD</b></td> <td>Is Out to Delivered</td> </tr> <tr> <td><b>QI</b></td> <td>Quality Inspection</td> </tr> <tr> <td><b>SRN</b></td> <td>Serial Number required</td> </tr> </table>	<b>APD</b>	Allow Partial Delivery	<b>BH</b>	Batch handling	<b>IMEI</b>	IMEI required	<b>INF</b>	Inventory Now Flag	<b>ISTA</b>	ItemStatusActive	<b>ISTD</b>	Is Out to Delivered	<b>QI</b>	Quality Inspection	<b>SRN</b>	Serial Number required
<b>APD</b>	Allow Partial Delivery																
<b>BH</b>	Batch handling																
<b>IMEI</b>	IMEI required																
<b>INF</b>	Inventory Now Flag																
<b>ISTA</b>	ItemStatusActive																
<b>ISTD</b>	Is Out to Delivered																
<b>QI</b>	Quality Inspection																
<b>SRN</b>	Serial Number required																
<i>additionalTradeItemClassificationCodeListCode</i>	<p><b>Type</b> restriction (xsd:string)</p> <p><b>Length</b> 1 .. 80</p> <p><b>Use</b> required</p> <p><b>Example</b> J</p> <p><b>Applicable Codes</b></p> <table border="0"> <tr> <td><b>false</b></td> <td>No</td> </tr> <tr> <td><b>true</b></td> <td>Yes</td> </tr> </table>	<b>false</b>	No	<b>true</b>	Yes												
<b>false</b>	No																
<b>true</b>	Yes																
<b>itemDataWeightAndDimension</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> item_data_notification: ItemDataWeightAndDimensionType</p>																
<i>xsd:sequence</i>	<p><b>Occurrence</b> 1 .. 1</p>																
<b>depth</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> shared_common:MeasurementType</p> <p><b>Remark</b> Depth of the Item</p> <p><b>Example</b> 25</p> <p><b>Restriction</b> Numeric 9(3) Optional</p>																
<i>measurementUnitCode</i>	<p><b>Type</b> restriction (xsd:string)</p> <p><b>Length</b> 1 .. 80</p> <p><b>Use</b> required</p> <p><b>Example</b> CMT</p> <p><b>Applicable Codes</b></p> <table border="0"> <tr> <td><b>CMT</b></td> <td>centimetre</td> </tr> </table>	<b>CMT</b>	centimetre														
<b>CMT</b>	centimetre																
<b>height</b>	<p><b>Occurrence</b> 0 .. 1</p> <p><b>Type</b> shared_common:MeasurementType</p> <p><b>Remark</b> Height of the item</p> <p><b>Example</b> 40</p> <p><b>Restriction</b> Numeric 9(3) Optional</p>																
<i>measurementUnitCode</i>	<p><b>Type</b> restriction (xsd:string)</p> <p><b>Length</b> 1 .. 80</p> <p><b>Use</b> required</p> <p><b>Example</b> CMT</p> <p><b>Applicable Codes</b></p> <table border="0"> <tr> <td><b>CMT</b></td> <td>centimetre</td> </tr> </table>	<b>CMT</b>	centimetre														
<b>CMT</b>	centimetre																

Bold = Element, Italic = Attribute, Grey = Group

Element/Attribute	Annotation
<b>netWeight</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shared_common:MeasurementType <b>Remark</b> <b>Net Weight for the Item</b> <b>Example</b> <b>1200</b> <b>Restriction</b> <i>Numeric 9(3) Optional</i>
<i>measurementUnitCode</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 80 <b>Use</b> required <b>Example</b> <b>KGM</b> <b>Applicable Codes</b> <b>KGM</b> kilogram
<b>width</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shared_common:MeasurementType <b>Remark</b> <b>Width for the Item</b> <b>Example</b> <b>60</b> <b>Restriction</b> <i>Numeric 9(3) Optional</i>
<i>measurementUnitCode</i>	<b>Type</b> restriction (xsd:string) <b>Length</b> 1 .. 80 <b>Use</b> required <b>Example</b> <b>CMT</b> <b>Applicable Codes</b> <b>CMT</b> centimetre
<b>itemDataTradingPartnerDependent</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> item_data_notification:ItemDataTradingPartnerDependentType
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>tradelItemSpecificUnitOfMeasure</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> shared_common:MeasurementUnitCodeType <b>Example</b> <b>PCE</b> <b>Applicable Codes</b> <b>PCE</b> pieces
<b>orderQuantityMultiple</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> shared_common:QuantityType <b>Remark</b> <b>Number of consumer units in the traded unit</b> <b>Example</b> <b>10</b> <b>Restriction</b> <i>Numeric 4 Pos Optional</i>
<b>itemDataLogisticUnitInformation</b>	<b>Occurrence</b> 0 .. 1 <b>Type</b> item_data_notification:ItemDataLogisticUnitInformationType
xsd:sequence	<b>Occurrence</b> 1 .. 1
<b>tradelItemQuantity</b>	<b>Occurrence</b> 1 .. 1 <b>Type</b> shared_common:QuantityType <b>Remark</b> <b>Number of DPAK per pallet</b> <b>Example</b> <b>5</b>

Bold = Element, *Italic* = Attribute, Grey = Group

```

<?xml version="1.0" encoding="UTF-8"?>
<ns0:itemDataNotificationMessage xmlns:ns0="urn:gs1:ecom:item_data_notification:xsd:3">
  <ns1:StandardBusinessDocumentHeader
xmlns:ns1="http://www.unece.org/cefact/namespaces/StandardBusinessDocumentHeader">
    <ns1:HeaderVersion>3.1</ns1:HeaderVersion>
    <ns1:Sender>
      <ns1:Identifier Authority="14">999999</ns1:Identifier>
    </ns1:Sender>
    <ns1:Receiver>
      <ns1:Identifier Authority="14">7080003388100</ns1:Identifier>
    </ns1:Receiver>
    <ns1:DocumentIdentification>
      <ns1:Standard>GS1 BMS</ns1:Standard>
      <ns1:TypeVersion>3.1</ns1:TypeVersion>
      <ns1:InstanceIdentifier>GS1</ns1:InstanceIdentifier>
      <ns1:Type>ItemDescription</ns1:Type>
      <ns1:CreationDateAndTime>2019-03-11T08:50:46</ns1:CreationDateAndTime>
    </ns1:DocumentIdentification>
  </ns1:StandardBusinessDocumentHeader>
  <itemDataNotification>
    <creationDateTime>2019-03-11T08:50:46</creationDateTime>
    <documentStatusCode>ORIGINAL</documentStatusCode>
    <itemDataNotificationIdentification>
      <entityIdentification>6777856</entityIdentification>
    </itemDataNotificationIdentification>
    <dataSource>
      <additionalPartyIdentification
additionalPartyIdentificationTypeCode="88">999999</additionalPartyIdentification>
    </dataSource>
    <dataRecipient>
      <additionalPartyIdentification
additionalPartyIdentificationTypeCode="88">BS26</additionalPartyIdentification>
    </dataRecipient>
    <itemDataNotificationLineItem>
      <lineItemNumber>1</lineItemNumber>
      <tradeItemDescription languageCode="NO">TradeItemDescription1</tradeItemDescription>
      <tradeItemIdentification>
        <gtin>5709452110897</gtin>
        <additionalTradeItemIdentification
additionalTradeItemIdentificationTypeCode="SA">10056</additionalTradeItemIdentification>
        <additionalTradeItemIdentification
additionalTradeItemIdentificationTypeCode="ZCO">SE</additionalTradeItemIdentification>
        <additionalTradeItemIdentification
additionalTradeItemIdentificationTypeCode="MF">216089</additionalTradeItemIdentification>
      </tradeItemIdentification>
      <itemDataTradingPartnerNeutral>
        <effectiveDateTime>2019-03-11T08:50:46</effectiveDateTime>
        <tradeItemBaseUnitOfMeasure>PCE</tradeItemBaseUnitOfMeasure>
        <startAvailabilityDateTime>2014-01-27 T00:00:00</startAvailabilityDateTime>
        <endAvailabilityDateTime>9999-12-31 T00:00:00</endAvailabilityDateTime>
        <itemDataWeightAndDimension>
          <depth measurementUnitCode="CM">7.500</depth>
          <grossWeight measurementUnitCode="KG">0.350</grossWeight>
          <height measurementUnitCode="CM">5.000</height>
          <netWeight measurementUnitCode="KG">0.350</netWeight>
        </itemDataWeightAndDimension>
      </itemDataTradingPartnerNeutral>
    </itemDataNotificationLineItem>
  </itemDataNotification>
</ns0:itemDataNotificationMessage>

```

Bold = Element, Italic = Attribute, Grey = Group

```

    <width measurementUnitCode="CM">7.500</width>
  </itemDataWeightAndDimension>
</itemDataTradingPartnerNeutral>
<itemDataTradingPartnerDependent>
  <tradelItemSpecificUnitOfMeasure>PCE</tradelItemSpecificUnitOfMeasure>
</itemDataTradingPartnerDependent>
</itemDataNotificationLineItem>
<itemDataNotificationLineItem>
  <lineItemNumber>2</lineItemNumber>
  <tradelItemDescription languageCode="NO">TradelItemDescription2</tradelItemDescription>
  <tradelItemIdentification>
    <gtin>7070856011591</gtin>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="SA">11264</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="ZCO">NO</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="MF">102081000</additionalTradelItemIdentification>
  </tradelItemIdentification>
  <itemDataTradingPartnerNeutral>
    <effectiveDateTime>2019-03-11T08:50:46</effectiveDateTime>
    <tradelItemBaseUnitOfMeasure>PCE</tradelItemBaseUnitOfMeasure>
    <startAvailabilityDateTime>2014-01-27 T00:00:00</startAvailabilityDateTime>
    <endAvailabilityDateTime>9999-12-31 T00:00:00</endAvailabilityDateTime>
    <itemDataWeightAndDimension>
      <depth measurementUnitCode="CM">100.000</depth>
      <grossWeight measurementUnitCode="KG">0.320</grossWeight>
      <height measurementUnitCode="CM">0.800</height>
      <netWeight measurementUnitCode="KG">0.320</netWeight>
      <width measurementUnitCode="CM">0.800</width>
    </itemDataWeightAndDimension>
  </itemDataTradingPartnerNeutral>
  <itemDataTradingPartnerDependent>
    <tradelItemSpecificUnitOfMeasure>PCE</tradelItemSpecificUnitOfMeasure>
  </itemDataTradingPartnerDependent>
</itemDataNotificationLineItem>
<itemDataNotificationLineItem>
  <lineItemNumber>3</lineItemNumber>
  <tradelItemDescription languageCode="NO">TradelItemDescription3</tradelItemDescription>
  <tradelItemIdentification>
    <gtin>7070856011607</gtin>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="SA">11265</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="ZCO">NO</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="MF">102101000</additionalTradelItemIdentification>
  </tradelItemIdentification>
  <itemDataTradingPartnerNeutral>
    <effectiveDateTime>2019-03-11T08:50:46</effectiveDateTime>
    <tradelItemBaseUnitOfMeasure>PCE</tradelItemBaseUnitOfMeasure>
    <startAvailabilityDateTime>2014-01-27 T00:00:00</startAvailabilityDateTime>
    <endAvailabilityDateTime>9999-12-31 T00:00:00</endAvailabilityDateTime>
    <itemDataWeightAndDimension>
      <depth measurementUnitCode="CM">100.000</depth>

```

Bold = Element, Italic = Attribute, Grey = Group

```

    <grossWeight measurementUnitCode="KG">0.500</grossWeight>
    <height measurementUnitCode="CM">1.000</height>
    <netWeight measurementUnitCode="KG">0.500</netWeight>
    <width measurementUnitCode="CM">1.000</width>
  </itemDataWeightAndDimension>
</itemDataTradingPartnerNeutral>
<itemDataTradingPartnerDependent>
  <tradelItemSpecificUnitOfMeasure>PCE</tradelItemSpecificUnitOfMeasure>
</itemDataTradingPartnerDependent>
</itemDataNotificationLineItem>
<itemDataNotificationLineItem>
  <lineItemNumber>4</lineItemNumber>
  <tradelItemDescription languageCode="NO">TradelItemDescription4</tradelItemDescription>
  <tradelItemIdentification>
    <gtin>7070856011676</gtin>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="SA">11271</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="ZCO">NO</additionalTradelItemIdentification>
    <additionalTradelItemIdentification
additionalTradelItemIdentificationTypeCode="MF">102082000</additionalTradelItemIdentification>
  </tradelItemIdentification>
  <itemDataTradingPartnerNeutral>
    <effectiveDateTime>2019-03-11T08:50:46</effectiveDateTime>
    <tradelItemBaseUnitOfMeasure>PCE</tradelItemBaseUnitOfMeasure>
    <startAvailabilityDateTime>2014-01-27 T00:00:00</startAvailabilityDateTime>
    <endAvailabilityDateTime>9999-12-31 T00:00:00</endAvailabilityDateTime>
    <itemDataWeightAndDimension>
      <depth measurementUnitCode="CM">200.000</depth>
      <grossWeight measurementUnitCode="KG">0.640</grossWeight>
      <height measurementUnitCode="CM">0.800</height>
      <netWeight measurementUnitCode="KG">0.640</netWeight>
      <width measurementUnitCode="CM">0.800</width>
    </itemDataWeightAndDimension>
  </itemDataTradingPartnerNeutral>
  <itemDataTradingPartnerDependent>
    <tradelItemSpecificUnitOfMeasure>PCE</tradelItemSpecificUnitOfMeasure>
  </itemDataTradingPartnerDependent>
</itemDataNotificationLineItem>
</itemDataNotification>
</ns0:itemDataNotificationMessage>

```